

XML Schema guide ContractNotice

Mult.	Tree	XML Element	Business term
		ContractNotice	
1..1	└─	ext:UBLExtensions	
1..n	└─	ext:UBLExtension	
1..1	└─	ext:ExtensionContent	
0..1	└─	uhm2:RegisteredDatabaseID	<p>BT ID: -</p> <p>Name: Registered database identifier</p> <p>Example: XY</p>
0..1	└─	uhm2:SwedishProcurementID	<p>BT ID: BT-UHM-1</p> <p>Name: Swedish Procurement Identifier</p> <p>Usage: The Swedish Procurement Identifier, issued by the registered database.</p> <p>Example: XY123</p>
1..1	└─	cbc:UBLVersionID	<p>BT ID: -</p> <p>Name: Version of UBL</p> <p>Usage: Indicates the version (major and minor) of the UBL standard.</p> <p>Example: 2.3</p>
1..1	└─	cbc:CustomizationID	<p>BT ID: -</p> <p>Name: Identifier of the UBL customization</p> <p>Usage: The customizationID is used to distinguish which schema guide (implementation guide) a message instance complies to. When eSenders are communicating with TED, another value of CustomizationID is used.</p> <p>Mapping: Ange/Use value "urn:upphandlingsmyndigheten.se: noticereport:1.1"</p> <p>Example: <i>urn:upphandlingsmyndigheten.se: noticereport:1.1</i></p>
1..1	└─	cbc:ID	<p>BT ID: BT-701</p> <p>Name: Notice Identifier</p> <p>Usage: The Notice identifier is a unique identifier for this notice. For above threshold notices, this identifier is the one used in TED. For below threshold notices, the registered database needs to assign an identifier.</p> <p>Example: 12345</p>
1..1	└─	cbc:ContractFolderID	<p>BT ID: BT-04</p> <p>Name: Procedure Identifier</p> <p>Usage: The European Public Procurement Procedure Identifier, a unique identifier of a procurement procedure. Including this identifier in all published versions of this notice (e.g. published on TED, national publication portals, regional publication portals) allows unique identification of procurement procedures around the EU.</p> <p>This information does not exist for notices of "Planning" form type. NB. This Business Term will be used when eForms is introduced and will be generated and assigned by the TED through a webservice.</p> <p>Mapping: Use value NA when missing. Använd värde NA om uppgiften saknas.</p> <p>Example: 999999</p>
1..1	└─	cbc:IssueDate	<p>BT ID: BT-UHM-2</p> <p>Name: Notice Publication Date</p> <p>Usage: Date for when the notice was published in the registered database.</p> <p>NB. Deviates from eForm usage of the same element which is used for a different purpose toward TED.</p> <p>Example: 2021-02-01</p>
1..1	└─	cbc:VersionID	<p>BT ID: BT-757</p> <p>Name: Notice Version</p> <p>Usage: The version identifier of the notice.</p> <p>Example: 01</p>
1..1	└─	cbc:RegulatoryDomain	<p>BT ID: BT-01</p> <p>Name: Procedure Legal Basis</p> <p>Usage: Above threshold: The Procedure Legal Basis term refers to the EU regulatory</p>

XML Schema guide ContractNotice

Mult.	Tree	XML Element	Business term
			<p>domain that applies to the procurement.</p> <p>The code values are the ones of the corresponding CELEX number (e.g. "32014L0024" for Directive 2014/24).</p> <p>For below threshold: Use code values LOU, LUK, LUFS or LUF (Codelist included in the validation artefacts is extended with these codes) https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/legal-basis <i>Example:</i> 32003R1435</p>
1..1		cbc:NoticeTypeCode	<p>BT ID: BT-02</p> <p>Name: Notice Type</p> <p>Usage: The code lists for Notice Types has been extended with value "be-t" which indicates "Below threshold".</p> <p>Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/notice-type <i>Example:</i> <i>cn-standard</i></p>
M		<i>listName</i>	<p>BT ID: BT-03</p> <p>Name: Form Type</p> <p>Mapping: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/form-type <i>Example:</i> <i>competition</i></p>
1..n		cac:ContractingParty	
0..n		cac:ContractingPartyType	
1..1		cbc:PartyTypeCode	<p>BT ID: BT-08</p> <p>Name: Organisation Role</p> <p>Usage: The code for party role.</p> <p>Mapping: @listName='organisation-role'</p> <p>Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-dataset/-/resource/dataset/organisation-role <i>Example:</i> <i>buyer</i></p> <p>BT ID: BT-11</p> <p>Name: Buyer Legal Type</p> <p>Usage: The type of buyer according to procurement legislation (e.g. central government authority, body governed by public law).</p> <p>Mapping: @listName='buyer-legal-type'</p> <p>Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-dataset/-/resource/dataset/buyer-legal-type + TED XML codes: MINISTRY NATIONAL_AGENCY REGIONAL_AUTHORITY REGIONAL_AGENCY BODY_PUBLIC EU_INSTITUTION <i>Example:</i> <i>la</i></p>
M		<i>listName</i>	<i>Example:</i> <i>organisation-role</i>
0..n		cac:ContractingActivity	
0..1		cbc:ActivityTypeCode	<p>BT ID: BT-10</p> <p>Name: Activity Authority</p> <p>Usage: The main activity of the contracting authority. Use when proper code exists</p> <p>Mapping: When @listName="main-activity".</p> <p>Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/main-activity <i>Example:</i> <i>gen-pub</i></p> <p>BT ID: BT-610</p> <p>Name: Activity Entity</p> <p>Usage: The main activity of the contracting entity. Use when proper code exists</p> <p>Mapping: @listName="main-activity".</p> <p>Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/main-activity <i>Example:</i> <i>health</i></p>
M		<i>listName</i>	<i>Example:</i> <i>main-activity</i>
0..n		cbc:ActivityType	BT ID: BT-10

XML Schema guide ContractNotice

Mult.	Tree	XML Element	Business term
			<p>Name: Activity Authority Usage: Textual description. Use when no proper code exists BT ID: BT-610 Name: Activity Entity Usage: Textual description. Use when no proper code exists</p>
1..1		cac:Party	
1..1		cac:PartyName	
1..1		cbc:Name	<p>BT ID: BT-500 Name: Organisation Name Usage: The official name of the organisation. Example: <i>Exempelnamn</i></p>
1..1		cac:PartyLegalEntity	
1..1		cbc:CompanyID	<p>BT ID: BT-501 Name: Organisation Identifier Usage: The identifier of the organisation, such as Swedish Organisation number Example: <i>5512345678</i></p>
0..1		cac:TenderingTerms	
0..1		cac:AwardingTerms	
1..n		cac:AwardingCriterion	
1..1		cbc:AwardingCriterionTypeCode	<p>BT ID: BT-539 Name: Award Criterion Type Usage: Whether the criterion concerns the price, the cost, or a non-price non-cost attribute of the tender. (Price is the acquisition price; cost is any other non-price monetary criterion.) Mapping: @listName="award-criterion-type" Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/award-criterion-type + TED XML codes: AC_PROCUREMENT_DOC AC_CRITERIUM Example: <i>price</i></p>
M		listName	Example: <i>award-criterion-type</i>
0..1		cac:TenderingProcess	
0..1		cbc:ProcedureCode	<p>BT ID: BT-105 Name: Procedure Type Usage: This term refers to the type of procurement procedure (e.g. according to the types given in the procurement Directives). Added codes for below threshold. See detailed usage in the main specification. Mapping: @listName="procurement-procedure-type" Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-dataset/-/resource/dataset/procurement-procedure-type + TED XML codes: PT_OPEN PT_DA_EMERGENCY_MEASURE PT_DA_INTERNAL_OPERATOR PT_DA_SMALL_CONTRACT PT_DA_MEDIUM_ENTERPRISE PT_DA_RAILWAY_TRANSPORT + UHM codes: be-t-simplified-procedure be-t-selective-procedure be-t-direct-award Example: <i>open</i></p>
M		listName	Example: <i>procurement-procedure-type</i>
0..1		cbc:UrgencyCode	<p>BT ID: BT-106 Name: Procedure Accelerated Usage: The time limit for receipt of requests to participate or tenders in this procedure can be reduced due to a state of urgency. Use value "urgent" Example: <i>urgent</i></p>
1..1		cac:ProcurementProject	
0..1		cbc:Name	<p>BT ID: BT-21 Name: Title</p>

XML Schema guide ContractNotice

Mult.	Tree	XML Element	Business term
0..1	cbc:Description		<p>Usage: The name of the procurement procedure or lot. <i>Example:</i> <i>Tjänster avseende mobiltelefoni</i></p> <p>BT ID: BT-24 Name: Description Usage: The description of the nature and quantity of what is being bought or of the needs and requirements that should be met in this procedure or lot. <i>Example:</i> <i>Mobiltelefonitjänster omfattar generellt sett SIM-kort, åtkomst till mobila nätverk, mobiltäckning och internetdata.</i></p>
0..1	cbc:ProcurementTypeCode		<p>BT ID: BT-23 Name: Main Nature Usage: The main nature (e.g. works) of what is being bought. Mapping: @listName="contract-nature" Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/contract-nature <i>Example:</i> <i>services</i></p>
M	listName		<i>Example:</i> <i>contract-nature</i>
0..1	cac:RequestedTenderTotal		
0..1	cbc:EstimatedOverallContractAmount		<p>BT ID: BT-27 Name: Estimated Value Usage: The Estimated Value represents the maximum aggregated amount of all the individual components that constitute the current notice, Group of lots, lot or part. Currency and amount shall be specified. <i>Example:</i> <i>2500000</i></p>
M	currencyID		<i>Example:</i> <i>SEK</i>
0..1	cbc:EstimatedOverallFrameworkContractsAmount		<p>BT ID: BT-118 Name: Notice Framework Value Usage: The maximum or estimated value which can be spent within the framework agreement(s) announced in this notice over its whole duration, in all lots, including options and renewals. Currency and amount shall be specified. <i>Example:</i> <i>2500000</i></p>
M	currencyID		<i>Example:</i> <i>SEK</i>
0..1	cbc:TotalAmount		<p>BT ID: BT-161 Name: Notice Value Usage: The value of all contracts awarded in this notice, including options and renewals. Currency and amount shall be specified. <i>Example:</i> <i>2500000</i></p>
M	currencyID		<i>Example:</i> <i>SEK</i>
0..n	cac:MainCommodityClassification		
1..1	cbc:ItemClassificationCode		<p>BT ID: BT-262 Name: Main Classification Code Usage: The code from the classification that best characterizes the purchase. Codelist: Common Procurement Vocabulary <i>Example:</i> <i>752000008</i></p>
M	listName		<p>BT ID: BT-26 Name: Classification Type Usage: Possible values are listed in the Classification Type codelist. Currently, only the "CPV" and "SupplementaryCPV" values are considered; however, other classification systems could later be used. Mapping: @listName="CPV" "SupplementaryCPV" <i>Example:</i> <i>CPV</i></p>
0..n	cac:AdditionalCommodityClassification		
1..1	cbc:ItemClassificationCode		<p>BT ID: BT-263 Name: Additional Classification Codes Usage: An additional code from the classification that also characterize the purchase. Codelist: Common Procurement Vocabulary <i>Example:</i> <i>752000008</i></p>
M	listName		<p>BT ID: BT-26 Name: Classification Type Usage: Possible values are listed in the Classification Type codelist. Currently, only the "CPV" and "SupplementaryCPV" values are</p>

XML Schema guide ContractNotice

Mult.	Tree	XML Element	Business term
			considered; however, other classification systems could later be used. Mapping: @listName="CPV" "SupplementaryCPV" Example: <i>SupplementaryCPV</i>
1..n		cac:ProcurementProjectLot	
1..1		cbc:ID	BT ID: BT-137 Name: Purpose Lot Identifier Usage: An identifier of a lot. If only one exists, use value 1. Example: <i>1</i>
0..1		cac:TenderingTerms	
0..n		cac:CallForTendersDocumentReference	
0..1		cac:Attachment	
1..1		cac:ExternalReference	
1..1		cbc:URI	BT ID: BT-15 Name: Documents URL Usage: URL to Tendering documents Example: <i>https://www.example.com/documents</i>
0..1		cac:TendererQualificationRequest	
1..1		cac:SpecificTendererRequirement	
1..1		cbc:TendererRequirementTypeCode	BT ID: BT-71 Name: Reserved Participation Usage: Whether participation is reserved for specific organisations (e.g. sheltered workshops, organisations pursuing a public service mission). Mapping: @listName="reserved-procurement" Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/reserved-procurement Example: <i>res-ws</i>
M		listName	Example: <i>reserved-procurement</i>
0..1		cac:ContractExecutionRequirement	
1..1		cbc:ExecutionRequirementCode	BT ID: BT-736 Name: Reserved Execution Usage: Whether the execution of the contract must be performed in the framework of sheltered employment programmes. Mapping: @listName="applicability" Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/applicability Example: <i>yes</i>
M		listName	Example: <i>applicability</i>
0..1		cac:AwardingTerms	
1..n		cac:AwardingCriterion	
1..1		cbc:AwardingCriterionTypeCode	BT ID: BT-539 Name: Award Criterion Type Usage: Whether the criterion concerns the price, the cost, or a non-price non-cost attribute of the tender. (Price is the acquisition price; cost is any other non-price monetary criterion). Mapping: @listName="award-criterion-type" Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/award-criterion-type + TED XML codes: AC_PROCUREMENT_DOC AC_CRITERIUM Example: <i>price</i>
M		listName	Example: <i>award-criterion-type</i>
0..1		cac:TenderValidityPeriod	
0..1		cbc:EndDate	BT ID: BT-98 Name: Tender Validity Deadline Usage: End date for which tenders must remain valid. (Possible to state in TED forms) Example: <i>2021-12-31</i>
0..1		cbc:DurationMeasure	BT ID: BT-98 Name: Tender Validity Deadline (period) Usage: Gives information of the period, from the tender submission deadline, for which tenders must remain valid. Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-dataset/-/

XML Schema guide ContractNotice

Mult.	Tree	XML Element	Business term
			resource/dataset/timeperiod <i>Example:</i> 6
M		<i>unitCode</i>	<i>Example:</i> MONTH
0..1		cac:TenderingProcess	
0..1		ext:UBLExtensions	
1..n		ext:UBLExtension	
1..1		ext:ExtensionContent	
1..1		efext:EformsExtension	
1..1		efac:InterestExpressionReceptionPeriod	
1..1		cbc:EndDate	BT ID: BT-630 Name: Deadline Receipt Expressions Usage: The deadline for receipt of expressions of interests.
0..1		cbc:EndTime	BT ID: BT-630 Name: Deadline Receipt Expressions (Time) Usage: The deadline for receipt of expressions of interests.
0..1		cbc:SubmissionMethodCode	BT ID: BT-17 Name: Submission Electronic Usage: This term is used to specify the electronic transmission requirement for document submission (tenders, request to participate and expression of interest). Mapping: @listName="permission" + @name="SubmissionElectronic" Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/permission <i>Example:</i> required
M		<i>listName</i>	<i>Example:</i> permission
M		<i>name</i>	<i>Example:</i> SubmissionElectronic
0..1		cac:TenderSubmissionDeadlinePeriod	
1..1		cbc:EndDate	BT ID: BT-131 Name: Deadline Receipt Tenders Usage: The deadline for tender reception (date) <i>Example:</i> 2021-01-01
0..1		cbc:EndTime	BT ID: BT-131 Name: Deadline Receipt Tenders (Time) Usage: The deadline for tender reception <i>Example:</i> 18:00:00
0..1		cac:ParticipationRequestReceptionPeriod	
1..1		cbc:EndDate	BT ID: BT-1311 Name: Deadline Receipt Requests Usage: The time limit for receipt of requests to participate (date). <i>Example:</i> 2021-01-01
0..1		cbc:EndTime	BT ID: BT-1311 Name: Deadline Receipt Requests (Time) Usage: The time limit for receipt of requests to participate. <i>Example:</i> 18:00:00
0..n		cac:NoticeDocumentReference	
1..1		cbc:ID	BT ID: BT-125 Name: Previous Planning Identifier Usage: The identifier of a prior information notice or another similar notice related to this notice. Use the identifier which was used to identify the previous notice submitted to UHM. Mapping: @schemeName = "PreviousPlanning" <i>Example:</i> 35478
0..1		cac:AuctionTerms	
1..1		cbc:AuctionConstraintIndicator	BT ID: BT-767 Name: Electronic Auction Usage: Specifies that an electronic auction is used. <i>Example:</i> true
0..n		cac:ContractingSystem	
1..1		cbc:ContractingSystemTypeCode	BT ID: BT-766 Name: Dynamic Purchasing System Usage: Specifies the existence of a Dynamic Purchasing System (DPS) and its use. Mapping: @listName='dps-usage'

XML Schema guide ContractNotice

Mult.	Tree	XML Element	Business term
			<p>Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/dps-usage + TED XML codes: DPS</p> <p><i>Example:</i> <i>dps-list</i></p> <p>BT ID: BT-765</p> <p>Name: Framework Agreement</p> <p>Usage: Specifies if Framework Agreement is used.</p> <p>Mapping: @listName='framework-agreement'</p> <p>Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/framework-agreement + TED XML codes: FRAMEWORK</p> <p><i>Example:</i> <i>fa-w-rc</i></p>
M		listName	<i>Example:</i> <i>dps-usage</i>
0..1		cac:ProcurementProject	
0..1		cbc:Name	<p>BT ID: BT-21</p> <p>Name: Title</p> <p>Usage: The name of the procurement procedure or lot.</p> <p><i>Example:</i> <i>Tjänster avseende mobiltelefoni</i></p>
0..1		cbc:Description	<p>BT ID: BT-24</p> <p>Name: Description</p> <p>Usage: The description of the nature and quantity of what is being bought or of the needs and requirements that should be met in this procedure or lot.</p> <p><i>Example:</i> <i>Mobiltelefonitjänster omfattar generellt sett SIM-kort, åtkomst till mobila nätverk, mobiltäckning och internetdata.</i></p>
0..1		cbc:ProcurementTypeCode	<p>BT ID: BT-23</p> <p>Name: Main Nature</p> <p>Usage: The main nature (e.g. works) of what is being bought.</p> <p>Mapping: @listName="contract-nature"</p> <p>Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/contract-nature <i>services</i></p> <p><i>Example:</i> <i>contract-nature</i></p>
M		listName	<i>Example:</i> <i>contract-nature</i>
0..n		cac:ProcurementAdditionalType	
1..1		cbc:ProcurementTypeCode	<p>BT ID: BT-774</p> <p>Name: Green Procurement</p> <p>Usage: An approach to reducing the environmental impacts of the work, supply or service (e.g. requesting compliance with an environmental label).</p> <p>Mapping: @listName="environmental-impact"</p> <p>Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/environmental-impact <i>reg-834-2007-com</i></p> <p><i>Example:</i> <i>reg-834-2007-com</i></p> <p>BT ID: BT-775</p> <p>Name: Social Procurement</p> <p>Usage: A social objective promoted by the works, supplies or services (e.g. fair working conditions)</p> <p>Mapping: @listName="social-objective"</p> <p>Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/social-objective <i>work-cond</i></p> <p><i>Example:</i> <i>work-cond</i></p> <p>BT ID: BT-776</p> <p>Name: Innovative Procurement</p> <p>Usage: An indication that innovative works, supplies or services are being bought (e.g. the procured works, supplies or services being novel for the whole market).</p> <p>Mapping: @listName="innovative-acquisition"</p> <p>Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/innovative-acquisition <i>buy-eff</i></p> <p><i>Example:</i> <i>buy-eff</i></p>
M		listName	<p>BT ID: BT-06</p> <p>Name: Strategic Procurement</p> <p>Usage: Use appropriate code (to indicate if BT-774,BT-775,BT-776 is used)</p> <p>Mapping: @name="StrategicProcurement".</p>

XML Schema guide ContractNotice

Mult.	Tree	XML Element	Business term
			Mapping: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/strategic-procurement Example: <i>social-objective</i>
M		<i>name</i>	Example: <i>StrategicProcurement</i>
0..1		cbc:ProcurementType	BT ID: BT-777 Name: Strategic Procurement Description Usage: Description of the use of a technical specification, selection criterion, award criterion, or contract performance condition aims to reduce the environmental impacts of the procurement, fulfil social objectives and/or buy an innovative work, supply or service. Example: <i>Beskrivning av ...</i>
0..1		cac:RequestedTenderTotal	
0..1		cbc:EstimatedOverallContractAmount	BT ID: BT-27 Name: Estimated Value Usage: The Estimated Value represents the maximum aggregated amount of all the individual components that constitute the current notice, Group of lots, lot or part. Currency and amount shall be specified. Example: <i>2500000</i>
M		<i>currencyID</i>	Example: <i>SEK</i>
0..n		cac:MainCommodityClassification	
1..1		cbc:ItemClassificationCode	BT ID: BT-262 Name: Main Classification Code Usage: The code from the classification that best characterizes the purchase. Codelist: Common Procurement Vocabulary Example: <i>752000008</i>
M		<i>listName</i>	BT ID: BT-26 Name: Classification Type Usage: Possible values are listed in the Classification Type codelist. Currently, only the "CPV" and "SupplementaryCPV" values are considered; however, other classification systems could later be used. Mapping: @listName="CPV" "SupplementaryCPV" Example: <i>CPV</i>
0..n		cac:AdditionalCommodityClassification	
1..1		cbc:ItemClassificationCode	BT ID: BT-263 Name: Additional Classification Codes Usage: An additional code from the classification that also characterize the purchase. Codelist: Common Procurement Vocabulary Example: <i>752000008</i>
M		<i>listName</i>	BT ID: BT-26 Name: Classification Type Usage: Possible values are listed in the Classification Type codelist. Currently, only the "CPV" and "SupplementaryCPV" values are considered; however, other classification systems could later be used. Mapping: @listName="CPV" "SupplementaryCPV" Example: <i>SupplementaryCPV</i>
0..n		cac:RealizedLocation	
1..1		cac:Address	
0..1		cbc:CountrySubentityCode	BT ID: BT-5071 Name: Place Performance Country Subdivision Usage: The location according to the common classification of territorial units for statistics (NUTS). The NUTS classification code must be used. Mapping: @listName="NUTS3" Codelist: https://www.scb.se/hitta-statistik/internationell-statistik/eu-statistik/eus-regioner---nuts/ Example: <i>SE110</i>
M		<i>listName</i>	Example: <i>NUTS3</i>
0..1		cac:Country	
1..1		cbc:IdentificationCode	BT ID: BT-5141 Name: Place Performance Country Code

XML Schema guide ContractNotice

Mult.	Tree	XML Element	Business term
			<p>Usage: The country of the place of performance.</p> <p>Mapping: @listName="country"</p> <p>Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-dataset/-/resource/dataset/country</p> <p><i>Example:</i> SWE</p>
M		listName	<i>Example:</i> country
0..1		cac:PlannedPeriod	
0..1		cbc:StartDate	<p>BT ID: BT-536</p> <p>Name: Duration Start Date</p> <p>Usage: The (estimated) date when the contract, framework agreement, dynamic purchasing system or qualification system will start.</p> <p><i>Example:</i> 2021-01-01</p>
0..1		cbc:EndDate	<p>BT ID: BT-537</p> <p>Name: Duration End Date</p> <p>Usage: The (estimated) date when the contract, framework agreement, dynamic purchasing system or qualification system will finish.</p> <p><i>Example:</i> 2021-05-01</p>
0..1		cbc:DurationMeasure	<p>BT ID: BT-36</p> <p>Name: Duration Period</p> <p>Usage: The Duration Period shall be used with the specification of the unit (ex MONTH) and its total number (ex 6) to cover the whole period. Unit of measure shall correspond to one of the duration units defined in the time-period codelist.</p> <p>If the duration is unlimited, use code 'UNLIMITED' and value '1'</p> <p>Codelist: https://op.europa.eu/en/web/eu-vocabularies/at-dataset/-/resource/dataset/timeperiod</p> <p><i>Example:</i> 6</p>
M		unitCode	<i>Example:</i> MONTH
0..1		cac:ContractExtension	
1..1		cbc:OptionsDescription	<p>BT ID: BT-54</p> <p>Name: Description of options</p> <p>Usage: Description of contract extensions.</p> <p><i>Example:</i> Köparen förbehåller sig rätten att...</p> <p>BT ID: BT-53</p> <p>Name: Options</p> <p>Usage: BT-53 is a business term saying if options are possible or not. In the syntax binding to UBL 2.3 this can be deducted by the existence of the cbc:OptionsDescription-element. True if OptionsDescription exists.</p>